


THE CITY OF MARYSVILLE DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR WARRANTY OF FITNESS OF THIS DATA FOR ANY PARTICULAR PURPOSE, EITHER EXPRESSED OR IMPLIED. NO REPRESENTATION OR WARRANTY IS MADE CONCERNING THE ACCURACY, CURRENCY, COMPLETENESS OR QUALITY OF DATA DEPICTED. ANY USER OF THIS DATA ASSUMES ALL RESPONSIBILITY FOR USE THEREOF, AND FURTHER AGREES TO HOLD THE CITY OF MARYSVILLE HARMLESS FROM AND AGAINST ANY DAMAGE, LOSS, OR LIABILITY ARISING FROM ANY USE OF THIS DATA.



**Resident Cutthroat Distribution**  
**Quilceda-Allen Watershed**  
 Data supplied by Washington State Fish and Wildlife Department March, 2006

0 0.5 1 Miles



**Identification Characteristics:**  
 Head blunt, jaw long - extends past eye.  
 Small black spots on head, body, and on all fins.  
 Red to yellow streaks on underside of jaw.



**Spawn Timing:**  
 Spawns February through May.

- Basins**
- Allen Cr.
  - Ebey Slough
  - West Fork Quilceda Cr.
  - Edgcomb Cr.
  - Middle Fork Quilceda Cr.
  - Quilceda Cr.
  - Sunnyside Cr.
- Resident Cutthroat Distribution**
- Spawning
  - Rearing
  - Presence