



THE CITY OF MARYSVILLE DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR WARRANTY OF FITNESS OF THIS DATA FOR ANY PARTICULAR PURPOSE, EITHER EXPRESSED OR IMPLIED. NO REPRESENTATION OR WARRANTY IS MADE CONCERNING THE ACCURACY, CURRENCY, COMPLETENESS OR QUALITY OF DATA DEPICTED. ANY USER OF THIS DATA ASSUMES ALL RESPONSIBILITY FOR USE THEREOF, AND FURTHER AGREES TO HOLD THE CITY OF MARYSVILLE HARMLESS FROM AND AGAINST ANY DAMAGE, LOSS, OR LIABILITY ARISING FROM ANY USE OF THIS DATA.



**Chinook Salmon Distribution**  
**Quilceda-Allen Watershed**  
 Streamnet.org Dec., 2014 Download.  
 Compiling Agency: Washington Dept. of Fish and Wildlife.



**TIMING OF SUMMER CHINOOK FRESHWATER LIFE STAGES**

Life Stage	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Spawning												
Incubation												
Fry												

Chinook, because of their size, generally stay in the deep, fast waters of larger streams and rivers.

- Basins**
- Allen Cr.
  - Ebey Slough
  - West Fork Quilceda Cr.
  - Edgecomb Cr.
  - Middle Fork Quilceda Cr.
  - Quilceda Cr.
  - Sunnyside Cr.
- Chinook Use Type**
- Migration only
  - Spawning and rearing